



**BROWNING VPLS-232S Pillow Block Bearings**



Bearing No. VPLS-232S

VPLS-232S Bearing 2D drawings and 3D CAD models

|                           |  |
|---------------------------|--|
| Category                  | Pillow Block Bearings  |
| Inventory                 | 0.0  |
| Manufacturer Name         | REGAL BELOIT   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 2.68   |
| EAN                       | 0662289863051  |
| Product Group             | M06110   |
| Number of Mounting Holes  | 2  |
| Mounting Method           | Set Screw  |
| Housing Style             | 2 Bolt Pillow Block  |
| Rolling Element           | Ball Bearing   |
| Housing Material          | Cast Iron  |
| Expansion / Non-expansion | Non-expansion  |
| Mounting Bolts            | 5/8 Inch   |
| Relubricatable            | Yes  |
| Insert Part Number        | VS-232S  |
| Seals                     | Single Lip Contact   |
| Housing Configuration     | 1 Piece Solid  |
| Inch - Metric             | Inch   |
| Other Features            | Single Row   Spherical   Standard Duty   Low Base   Has Flinger  |
| Long Description          | 2 Bolt Pillow Block; 2" Bore; 2-3/16" Base to Center Height; Set Screw Mount; Ball Bearing; Relubricatable; Cast Iron; Single Lip Contact; Non-expansion |
|                           |  |



## EB Trading Co.,Ltd.

|                               |   |
|-------------------------------|---|
| Category                      | Pillow Block  |
| UNSPSC                        | 31171511  |
| Harmonized Tariff Code        | 8483.20.40.40   |
| Noun                          | Bearing   |
| Keyword String                | Pillow Block  |
| Manufacturer URL              | <a href="http://www.regalbeloit.com">http://www.regalbeloit.com</a> |
| Manufacturer Item Number      | VPLS-232S   |
| Manufacturer Internal Number  | 765898  |
| Weight / LBS                  | 5.9   |
| D                             | 2.031 Inch   51.59 Millimeter                                       |
| Actual Bolt Center to Center  | 6.2 Inch   157 Millimeter   |
| Bolt Spacing Minimum          | 0 Inch   0 Millimeter   |
| Nominal Bolt Center to Center | 6.3 Inch   160 Millimeter   |
| Bolt Spacing Maximum          | 0 Inch   0 Millimeter   |
| B                             | 2.188 Inch   55.575 Millimeter                                      |
| d                             | 2 Inch   50.8 Millimeter  |